

FB

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

RSAD Mild Steel Straight Duct

Staight duct in Mild Steel


















2 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.
















For assembly use FSFE or FSDB clips.

Наименование товара	RSAD Mild Steel Straight Duct
Материал	SS 1312
Thickness (mm)	2
















RSAD Mild Steel Straight Duct

[Image]	диаметр (mm)	Length (m)	Вес (кг)	[model]
	1000	0,5		8210004019
	1000	1		8210004020
	1000	2		8210004021
	100	0,5	2,5	8210003941
	100	1	5	8210003942
	100	2	10	8210003943
	120	0,5	3,1	8210003944
	120	1	6,2	8210003945
	120	2	12,4	8210003946
	125	0,5	3,2	8210003947
	125	1	6,4	8210003948
	125	2	12,8	8210003949
	140	0,5		8210003950
	140	1		8210003951
	140	2		8210003952
















RSAD Mild Steel Straight Duct

[Image]	диаметр (mm)	Length (m)	Вес (кг)	[model]
	150	0,5	3,8	8210003953
	150	1	7,6	8210003954
	150	2	15,2	8210003955
	160	0,5	4,1	8210003956
	160	1	8,2	8210003957
	160	2	16,4	8210003958
	180	0,5	4,6	8210003959
	180	1	9,1	8210003960
	180	2	18,2	8210003961
	200	0,5	5,1	8210003962
	200	1	10,2	8210003963
	200	2	20,4	8210003964
	225	0,5		8210003965
	225	1		8210003966
	225	2		8210003967
















RSAD Mild Steel Straight Duct

[Image]	диаметр (mm)	Length (m)	Вес (кг)	[model]
	250	0,5	6,3	8210003968
	250	1	12,6	8210003969
	250	2	25,2	8210003970
	300	0,5	7,6	8210003971
	300	1	15,2	8210003972
	300	2	30,4	8210003973
	315	0,5	7,9	8210003974
	315	1	16	8210003975
	315	2	32	8210003976
	350	0,5	8,9	8210003977
	350	1	17,8	8210003978
	350	2	35,6	8210003979
	400	0,5	10,1	8210003980
	400	1	20,2	8210003981
	400	2	40,4	8210003982







RSAD Mild Steel Straight Duct

[Image]	диаметр (mm)	Length (m)	Вес (кг)	[model]
	450	0,5	11,4	8210003983
	450	1	22,8	8210003984
	450	2	45,6	8210003985
	500	0,5	12,6	8210003986
	500	1	25,2	8210003987
	500	2	50,4	8210003988
	550	0,5	13,9	8210003989
	550	1	27,8	8210003990
	550	2	55,6	8210003991
	600	0,5	15,2	8210003992
	600	1	30,4	8210003993
	600	2	60,8	8210003994
	630	0,5		8210003995
	630	1		8210003996
	630	2		8210003997













RSAD Mild Steel Straight Duct

[Image]	диаметр (mm)	Length (m)	Вес (кг)	[model]
	650	0,5		8210003998
	650	1		8210003999
	650	2		8210004000
	700	0,5		8210004001
	700	1		8210004002
	700	2		8210004003
	750	0,5		8210004004
	750	1		8210004005
	750	2		8210004006
	800	0,5		8210004007
	800	1		8210004008
	800	2		8210004009
	850	0,5		8210004010
	850	1		8210004011
	850	2		8210004012

RSAD Mild Steel Straight Duct

[Image]	диаметр (mm)	Length (m)	Вес (кг)	[model]
	900	0,5		8210004013
	900	1		8210004014
	900	2		8210004015
	950	0,5		8210004016
	950	1		8210004017
	950	2		8210004018

RSAD Mild Steel Straight Duct

	[accessory]	[partno]
	KVDA Split Strap Galv 3mm 80mm	8210001108
	KVDA Split Strap Galv 3mm 100mm	8210001109
	KVDA Split Strap Galv 3mm 120mm	8210001110
	KVDA Split Strap Galv 3mm 125mm	8210001111
	KVDA Split Strap Galv 3mm 140mm	8210001112
	KVDA Split Strap Galv 3mm 150mm	8210001113
	KVDA Split Strap Galv 3mm 160mm	8210001114
	KVDA Split Strap Galv 3mm 180mm	8210001115
	KVDA Split Strap Galv 3mm 200mm	8210001116
	KVDA Split Strap Galv 3mm 225mm	8210003376
	KVDA Split Strap Galv 3mm 250mm	8210001118
	KVDA Split Strap Galv 3mm 280mm	8210001119
	KVDA Split Strap Galv 3mm 300mm	8210001120
	KVDA Split Strap Galv 3mm 315mm	8210001121
	KVDA Split Strap Galv 3mm 325mm	8210001122
	KVDA Split Strap Galv 3mm 350mm	8210001123
	KVDA Split Strap Galv 3mm 400mm	8210001124
	KVDA Split Strap Galv 3mm 450mm	8210001125
	KVDA Split Strap Galv 3mm 500mm	8210001126
	KVDA Split Strap Galv 3mm 550mm	8210001127
	KVDA Split Strap Galv 3mm 560mm	8210001128
	KVDA Split Strap Galv 3mm 600mm	8210001129

RSAD Mild Steel Straight Duct

	[accessory]	[partno]
	KVDA Split Strap Galv 3mm 630mm	8210001130
	KVDA Split Strap Galv 3mm 650mm	8210001131
	KVDA Split Strap Galv 3mm 710mm	8210001132
	KVDA Split Strap Galv 3mm 800mm	8210001133
	KVDD Legs for Split Strap Galv 80mm 160mm	8210003377
	KVDD Legs for Split Strap Galv 180mm 315mm	8210003378
	KVDD Legs for Split Strap Galv 350mm pair	8210003379
	KVDD Legs for Split Strap Galv 400mm pair	8210003380
	KVDD Legs for Split Strap Galv 450mm pair	8210003381
	KVDD Legs for Split Strap Galv 500mm pair	8210003382
	KVDD Legs for Split Strap Galv 550mm pair	8210003383
	KVDD Legs for Split Strap Galv 600mm pair	8210003384
	KVDD Legs for Split Strap Galv 650mm pair	8210003385
	KVDD Legs for Split Strap Galv 700mm pair	8210003386
	KVDD Legs for Split Strap Galv 800mm pair	8210003387

BSAD Mild Steel Bend (T = 2 mm)

Bend in Mild Steel



2 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

Наименование товара	BSAD Mild Steel Bend (T = 2 mm)
Thickness (mm)	2

BSAD Mild Steel Bend (T = 2 mm)

диаметр (mm)	Radius	[model]
100	150	8210002247
100	150	8210002248
100	150	8210002249
100	150	8210002250
100	150	8210002251
120	180	8210002252
120	180	8210002253
120	180	8210002254
120	180	8210002255
120	180	8210002256
125	187,5	8210002257
125	187,5	8210002258
125	187,5	8210002259
125	187,5	8210002260
125	187,5	8210002261
140	210	8210002262
140	210	8210002263
140	210	8210002264
140	210	8210002265
140	210	8210002266
150	225	8210002267
150	225	8210002268
150	225	8210002269
150	225	8210002270
150	225	8210002271
160	240	8210002272
160	240	8210002273
160	240	8210002274
160	240	8210002275
160	240	8210002276
180	270	8210002277
180	270	8210002278
180	270	8210002279
180	270	8210002280
180	270	8210002281
200	300	8210002282
200	300	8210002283
200	300	8210002284
200	300	8210002285
200	300	8210002286
225	337,5	8210002287
225	337,5	8210002288
225	337,5	8210002289
225	337,5	8210002290
225	337,5	8210002291
250	375	8210002292
250	375	8210002293
250	375	8210002294
250	375	8210002295
250	375	8210002296
300	450	8210002297
300	450	8210002298
300	450	8210002299
300	450	8210002300
300	450	8210002301
315	472,5	8210002302
315	472,5	8210002303
315	472,5	8210002304
315	472,5	8210002305
315	472,5	8210002306
350	525	8210002307
350	525	8210002308
350	525	8210002309

BSAD Mild Steel Bend (T = 2 mm)

диаметр (mm)	Radius	[model]
350	525	8210002310
350	525	8210002311
400	600	8210002312
400	600	8210002313
400	600	8210002314
400	600	8210002315
400	600	8210002316
450	675	8210002317
450	675	8210002318
450	675	8210002319
450	675	8210002320
450	675	8210002321
500	750	8210002322
500	750	8210002323
500	750	8210002324
500	750	8210002325
500	750	8210002326
550	825	8210002327
550	825	8210002328
550	825	8210002329
550	825	8210002330
550	825	8210002331
600	900	8210002332
600	900	8210002333
600	900	8210002334
600	900	8210002335
600	900	8210002336
630	945	8210002337
630	945	8210002338
630	945	8210002339
630	945	8210002340
630	945	8210002341
650	975	8210002342
650	975	8210002343
650	975	8210002344
650	975	8210002345
650	975	8210002346
700	1050	8210002347
700	1050	8210002348
700	1050	8210002349
700	1050	8210002350
700	1050	8210002351
750	1125	8210002352
750	1125	8210002353
750	1125	8210002354
750	1125	8210002355
750	1125	8210002356
800	1200	8210002357
800	1200	8210002358
800	1200	8210002359
800	1200	8210002360
800	1200	8210002361
850	1275	8210002362
850	1275	8210002363
850	1275	8210002364
850	1275	8210002365
850	1275	8210002366
900	1350	8210002367
900	1350	8210002368
900	1350	8210002369
900	1350	8210002370
900	1350	8210002371
950	1425	8210002372

BSAD Mild Steel Bend (T = 2 mm)

диаметр (mm)	Radius	[model]
950	1425	8210002373
950	1425	8210002374
950	1425	8210002375
950	1425	8210002376
1000	1500	8210002377
1000	1500	8210002378
1000	1500	8210002379
1000	1500	8210002380
1000	1500	8210002381

BSAE Mild Steel Bend (T = 3 mm)

Bend in Mild Steel



3 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

Наименование товара	BSAE Mild Steel Bend (T = 3 mm)
Thickness (mm)	3

BSAE Mild Steel Bend (T = 3 mm)

диаметр (mm)	Radius	[model]
150	225	8210002382
150	225	8210002383
150	225	8210002384
150	225	8210002385
150	225	8210002386
160	240	8210002387
160	240	8210002388
160	240	8210002389
160	240	8210002390
160	240	8210002391
180	270	8210002392
180	270	8210002393
180	270	8210002394
180	270	8210002395
180	270	8210002396
200	300	8210002397
200	300	8210002398
200	300	8210002399
200	300	8210002400
200	300	8210002401
225	337,5	8210002402
225	337,5	8210002403
225	337,5	8210002404
225	337,5	8210002405
225	337,5	8210002406
250	375	8210002407
250	375	8210002408
250	375	8210002409
250	375	8210002410
250	375	8210002411
300	450	8210002412
300	450	8210002413
300	450	8210002414
300	450	8210002415
300	450	8210002416
315	472,5	8210002417
315	472,5	8210002418
315	472,5	8210002419
315	472,5	8210002420
315	472,5	8210002421
350	525	8210002422
350	525	8210002423
350	525	8210002424
350	525	8210002425
350	525	8210002426
400	600	8210002427
400	600	8210002428
400	600	8210002429
400	600	8210002430
400	600	8210002431
450	675	8210002432
450	675	8210002433
450	675	8210002434
450	675	8210002435
450	675	8210002436
500	750	8210002437
500	750	8210002438
500	750	8210002439
500	750	8210002440
500	750	8210002441
550	825	8210002442
550	825	8210002443
550	825	8210002444

BSAE Mild Steel Bend (T = 3 mm)

диаметр (mm)	Radius	[model]
550	825	8210002445
550	825	8210002446
600	900	8210002447
600	900	8210002448
600	900	8210002449
600	900	8210002450
600	900	8210002451
630	945	8210002452
630	945	8210002453
630	945	8210002454
630	945	8210002455
630	945	8210002456
650	975	8210002457
650	975	8210002458
650	975	8210002459
650	975	8210002460
650	975	8210002461
700	1050	8210002462
700	1050	8210002463
700	1050	8210002464
700	1050	8210002465
700	1050	8210002466
750	1125	8210002467
750	1125	8210002468
750	1125	8210002469
750	1125	8210002470
750	1125	8210002471
800	1200	8210002472
800	1200	8210002473
800	1200	8210002474
800	1200	8210002475
800	1200	8210002476
850	1275	8210002477
850	1275	8210002478
850	1275	8210002479
850	1275	8210002480
850	1275	8210002481
900	1350	8210002482
900	1350	8210002483
900	1350	8210002484
900	1350	8210002485
900	1350	8210002486
950	1425	8210002487
950	1425	8210002488
950	1425	8210002489
950	1425	8210002490
950	1425	8210002491
1000	1500	8210002492
1000	1500	8210002493
1000	1500	8210002494
1000	1500	8210002495
1000	1500	8210002496

RRGD/RRGE Mild Steel Reduction (T = 2/3 mm)

Mild Steel Reduction (T = 2/3 mm)



2/3 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

The smaller diameters must be specified when ordering.

Наименование товара	RRGD/RRGE Mild Steel Reduction (T = 2/3 mm)
---------------------	---

RRGD/RRGE Mild Steel Reduction (T = 2/3 mm)

диаметр (mm)	Thickness (mm)	[model]
100	2	8210003899
120	2	8210003900
125	2	8210003901
140	2	8210003902
150	2	8210003903
160	2	8210003904
180	2	8210003905
200	2	8210003906
225	2	8210003907
250	2	8210003908
300	2	8210003909
315	2	8210003910
350	2	8210003911
400	2	8210003912
450	2	8210003913
500	2	8210003914
550	2	8210003915
600	2	8210003916
630	2	8210003917
650	2	8210003918
700	2	8210003919
750	2	8210003920
800	2	8210003921
150	3	8210003922
160	3	8210003923
180	3	8210003924
200	3	8210003925
225	3	8210003926
250	3	8210003927
300	3	8210003928
315	3	8210003929
350	3	8210003930
400	3	8210003931
450	3	8210003932
500	3	8210003933
550	3	8210003934
600	3	8210003935
630	3	8210003936
650	3	8210003937
700	3	8210003938
750	3	8210003939
800	3	8210003940

HSAD/HSAE Mild Steel Y-Branch (T = 2/3 mm)

Mild Steel Y-Branch (T = 2/3 mm)



2/3 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

When ordering the diameters must be specified

Наименование товара	HSAD/HSAE Mild Steel Y-Branch (T = 2/3 mm)
----------------------------	--

HSAD/HSAE Mild Steel Y-Branch (T = 2/3 mm)

диаметр (mm)	Thickness (mm)	[model]
100	2	8210003334
120	2	8210003335
125	2	8210003336
140	2	8210003337
150	2	8210003338
160	2	8210003339
180	2	8210003340
200	2	8210003341
225	2	8210003342
250	2	8210003343
300	2	8210003344
315	2	8210003345
350	2	8210003346
400	2	8210003347
450	2	8210003348
500	2	8210003349
550	2	8210003350
600	2	8210003351
630	2	8210003352
650	2	8210003353
700	2	8210003354
750	2	8210003355
800	2	8210003356
150	3	8210003357
160	3	8210003358
180	3	8210003359
200	3	8210003360
225	3	8210003361
250	3	8210003362
300	3	8210003363
315	3	8210003364
350	3	8210003365
400	3	8210003366
450	3	8210003367
500	3	8210003368
550	3	8210003369
600	3	8210003370
630	3	8210003371
650	3	8210003372
700	3	8210003373
750	3	8210003374
800	3	8210003375

GSAD/GSAE Mild Steel Branch (T = 2/3 mm)

Mild Steel Branch (T = 2/3 mm)



2/3 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

When ordering the diameters must be specified

Наименование товара	GSAD/GSAE Mild Steel Branch (T = 2/3 mm)
---------------------	---

GSAD/GSAE Mild Steel Branch (T = 2/3 mm)

диаметр (mm)	Thickness (mm)	[model]
100	2	8210003292
120	2	8210003293
125	2	8210003294
140	2	8210003295
150	2	8210003296
160	2	8210003297
180	2	8210003298
200	2	8210003299
225	2	8210003300
250	2	8210003301
300	2	8210003302
315	2	8210003303
350	2	8210003304
400	2	8210003305
450	2	8210003306
500	2	8210003307
550	2	8210003308
600	2	8210003309
630	2	8210003310
650	2	8210003311
700	2	8210003312
750	2	8210003313
800	2	8210003314
150	3	8210003315
160	3	8210003316
180	3	8210003317
200	3	8210003318
225	3	8210003319
250	3	8210003320
300	3	8210003321
315	3	8210003322
350	3	8210003323
400	3	8210003324
450	3	8210003325
500	3	8210003326
550	3	8210003327
600	3	8210003328
630	3	8210003329
650	3	8210003330
700	3	8210003331
750	3	8210003332
800	3	8210003333

RMAD/RMAE adapter (T = 2/3 mm)

Adapter between clipped edge and flange edge (T = 2/3 mm)



2/3 mm duct with clipped edge in steel quality SS 1312.
Painted in RAL 7032 with Priming 50 μm , zinc content 70%.

For assembly use FSFE or FSDB clips.

Наименование товара	RMAD/RMAE adapter (T = 2/3 mm)
---------------------	--------------------------------

RMAD/RMAE adapter (T = 2/3 mm)

диаметр (mm)	Thickness (mm)	[model]
80	2	8210003768
100	2	8210003769
120	2	8210003770
125	2	8210003771
140	2	8210003772
150	2	8210003773
160	2	8210003774
180	2	8210003775
200	2	8210003776
225	2	8210003777
250	2	8210003778
300	2	8210003779
315	2	8210003780
350	2	8210003781
400	2	8210003782
450	2	8210003783
500	2	8210003784
550	2	8210003785
600	2	8210003786
630	2	8210003787
150	3	8210003788
160	3	8210003789
180	3	8210003790
200	3	8210003791
225	3	8210003792
250	3	8210003793
300	3	8210003794
315	3	8210003795
350	3	8210003796
400	3	8210003797
450	3	8210003798
500	3	8210003799
550	3	8210003800
600	3	8210003801

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	